

pursuant to REACH Regulation (EC) no. 1907/2006

1. NAME OF THE SUBSTANCE/PREPARATION AND THE COMPANY

1.1 Product identifier					
Trade name:	Prebona® DuraClean White™				
1.2 Use					
Relevant identified uses of the substance or mixture:	Dirt repellent surface treatment for concrete, brick and other surfaces.				
Uses that are not recommended:	The product should only be used in accordance with the fields of application specified above.				
1.3 Detailed information abou	t the supplier of the safety data sheet				
Supplier:	Prebona AB				
Address:	Varvsgatan 4 SE-272 36 Simrishamn Sweden				
Telephone and fax:	+46 (0) 70 715 3247				
E-mail:	info@prebona.com, www.prebona.com				
1.4 Telephone number for em	ergencies				
Emergencies (all day):	112 ask for SWEDISH POISONS INFORMATION CENTRE				
General and preventive questions (Mon-Fri 9 am - 5 pm):	+46 (0) 8 - 33 12 31 (Giftinformationscentralen/Poisons Information Centre)				
2. HAZARDOUS PROPER	RTIES				
2.1 Classification of the mixtu	re pursuant to the Regulation (EC) no. 1272/2008 (CLP)				
The product does not need labe	lling pursuant to the CLP Regulation.				
2.2 Labelling information purs	suant to the Regulation (EC) no. 1272/2008 (CLP)				
Pictogram and signal word: Not applicable.					
Hazard statements:					
Not applicable.					
Precautionary statements:					
Not applicable.					
Other labelling:					
Only for professional use.					
2.3 Other hazards					
PBT substance:	YES X NO NOT APPLICABLE				
vPvB substance:	YES X NO NOT APPLICABLE				

Updated: 15/01/2018



pursuant to REACH Regulation (EC) no. 1907/2006

Physical hazards: Discolouring of metal surfaces on contact.

Health hazards: Do not inhale aerosol.

Environmental

Alkaline product. Prevent release to aquatic environments.

hazards:

2.4 Authorisation (substance)

See section 15.1.2 Authorisation and restrictions pursuant to section VII and VIII of REACH.

3. COMPOSITION/INFORMATION ON CONSTITUENTS

3.1 Mixtures

Substance	CAS no.	Content, conc. weight %	Classification pursuant to CLP (EC) no. 1272/2008 Class of danger and hazard statements codes
Silica amorph.	7631-86-9	5%	No labelling needed
Water	7732-18-5	95%	No labelling needed

4. FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation: Discomfort/coughing, fresh air and rest are recommended.

Skin contact: Wash the skin with soap and water. Remove contaminated clothing and footwear.

Eye contact: Rinse immediately with soft water jet or eyewash fluid for several minutes. Take

out contact lenses if present. If irritation persists, seek medical attention.

Ingestion: Drink a couple of glasses of water/milk if the injured is fully conscious. Go to

doctor/hospital if a large quantity has been ingested or lasting discomfort.

4.2 The most important symptoms and effects, both acute and delayed

Symptom: Irritation of the eyes and skin on contact/splash risk.

4.3 Information on immediate medical treatment and special treatment that may be required

Special / immediate medical Nothing in particular. Treatment based on symptoms.

treatment:

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

The product is not flammable. Extinguishing media should be chosen with regard to fire in the surroundings.

5.2 Unusual hazards involved with the substance or mixture

Nothing in particular.

5.3 Advice to firefighting personnel

Nothing in particular. General consideration during firefighting applies.

Evacuate according to routines for fire. Move containers away from the fire, if this can be done without risk. Do not inhale fumes. During all firefighting, adequate protective equipment should be used. Full protective clothing and breathing apparatus is recommended.



pursuant to REACH Regulation (EC) no. 1907/2006

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal protection measures, protective equipment and actions in case of emergency

Personal safety equipment: Avoid contact/exposure with eyes and skin. Always use protective gloves, protective clothing and safety goggles during all contacts with chemical substances.

6.2 Environmental measures

General measures: Limit leakages so spills can be cleaned up without the product reaching watercourses, drains or the external environment directly. In the case of large spills or releases, contact the local rescue services.

6.3 Methods and materials for containment and cleaning

No containment required. Gather the product up mechanically/by suction or with inert absorbent material. Contaminated area may need rinsing down with water.

6.4 Reference to other sections

More information on the choice of personal protective equipment can be found in section 7. See section 13 Waste Management for information on disposal of spills.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Prevent formation and inhalation of dust/fumes/aerosol. Prevent contact with eyes and skin. Wear protective clothing and protective goggles.

7.2 Conditions for safe storage, including any incompatibility

free. Recommended storage temperature is between $5 - 35^{\circ}$ C.

The product should be stored in sealed, dark container made in non-corrosive material, as well as frost 7.3 Specific final use YES, see appendix to X NO, not applicable. See section 15.2. Exposure scenario: the safety data sheet 8. EXPOSURE CONTROLS/PERSONAL PROTECTION This section is intended for professional activities and work environment exposure for professional users. 8.1 Control parameters 8.1.1 NATIONAL HYGIENIC LIMIT VALUES OR EC LIMIT VALUES National hygienic limit values: YES, see table below NO Not applicable Guidance EC limit values: YES, NO Not applicable Other information: hygienic limit values for inhalable dust for silica amorph are not applicable, because the product is in liquid form.

Trade name: Prebona® DuraClean White™ Updated: 15/01/2018 Page 3(8)



pursuant to REACH Regulation (EC) no. 1907/2006

8.2 Exposure controls

Technical protection

Provide good ventilation in the work area.

measures:

Eye/face protection: Wear suitable safety goggles or face protection.

Skin protection: Wear rubber/PVC gloves and fully covering workwear.

Respiratory protection: Use suitable respiratory protection such as full-face mask or half-mask.

Environmental exposure: Prevent release to aquatic environments. See points 6.2 and 13 for more

information.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on fundamental physical and chemical properties

Value	Method/Note
Liquid	-
Clear slightly blue hue	-
Weak	-
7-10	For ready to use solution
0°C/100°C	
<50 mPa⋅s	Brookfield rotational viscometer
Not applicable	Inert material
Not applicable	Inert material
1,040 – 1,060 kg/m ³	-
Suspension/dispersion in water	-
Not applicable	Inert material
	Liquid Clear slightly blue hue Weak 7-10 0°C/100°C <50 mPa·s Not applicable Not applicable 1,040 – 1,060 kg/m³ Suspension/dispersion in water

9.2 Other information

Oxidising properties:

No information available.

10. STABILITY AND REACTIVITY

10.1 Reactivity

The product is stable during normal and recommended storage and use.

Not applicable

10.2 Chemical stability

No information available.

10.3 Risk for dangerous reactions

No information available.

Inert material

Updated: 15/01/2018



pursuant to REACH Regulation (EC) no. 1907/2006

10.4 Conditions to be avoided

Frost and high temperatures during storage.

10.5 Incompatible material

Causes discolouring on contact with metal surfaces.

10.6 Hazardous decomposition products

No information available.

11. TOXICOLOGY INFORMATION

11.1 Information on the toxicological effects

This section is intended for medical personnel, professionals in the work environment field and toxicologists.

11.1.1 SUBSTANCE - INFORMATION ON CLASSES OF DANGER

Acute toxicity: There is no data available regarding the mixture. The information refers to the calculated value for the mixture in the form ATE_{mix} pursuant to the CLP Regulation and data on the individual constituent substances.

Ingestion: ATEmix = 606,060 mg/kg Skin contact: ATEmix = not applicable. Inhalation: ATEmix = not applicable.

Individual substances

<u>Substance</u>	<u>Exposure</u>	<u>Nature</u>	<u>Results</u>	<u>Method</u>	<u>Remarks</u>
Silica amorph.	Acute oral	Rats	LD50: >10,000 mg/kg	-	Source: supplier

Burns/irritation to

Irritating to the eyes and skin (alkaline product)

the skin:

Sensitisation: No information available. See Note 1 below.
 Mutagenicity: No information available. See Note 1 below.
 Carcinogenicity: No information available. See Note 1 below.
 Reproductive No information available. See Note 1 below.

toxicity:

Other information: No information available.

Remarks 1 – the product/substance is not classified as such according to the harmonised classification and labelling in Annex VI to the CLP Regulation (EC) No. 1272/2008.

Trade name: Prebona® DuraClean White ™ Page 5(8) Updated: 15/01/2018



Updated: 15/01/2018

pursuant to REACH Regulation (EC) no. 1907/2006

12. ECOLOGICAL INFORMATION

Summary: There is no data available regarding the mixture. The information refers to data on the

individual constituent substances. The product is not classified as hazardous to aquatic environments but, because the product has a relatively high pH value (7-11),

direct release to aquatic environments should be prevented.

12.1 Toxicity

Substance	Studies and Exp. time	Results	Method	Remarks
Similar mixtures of silica amorph.	Fish (zebra fish), 96 h	LC50: > 5,000 mg/l	-	Source: supplier
	Daphnia (Big water flea), 48h	EC50: 7,600 mg/l	-	Source: supplier
	Algae (Selenastrum capricornutum), 48h	NOEC: 60 mg/l	-	Source: supplier

12.2 Persistence and degradability Biotic degradability: Not applicable. Inert material. Abiotic degradability: Not applicable. Inert material. 12.3 Bioaccumulation capacity log Kow and/or BCF value: Not applicable. Inert material. 12.4 Mobility in soil Not applicable. Inert material. 12.5 Results of PBT and vPvB assessment PBT substance: YFS NOT APPLICABLE NO YES vPvB substance: NO 12.6 Other harmful effects Alkaline product. Prevent release to aquatic environments. 13. WASTE MANAGEMENT 13.1 Waste treatment methods ent

13.1.1 CLASSIFICAT	ION OF WASTE	
Hazardous waste:	YES	X NO
Waste type and	Waste code: not applicabl	e.
management:	Alkaline waste. Spills and	residual product should be managed so as to preve
(residual product)	water environments from I	being exposed.

Waste type and Well cleaned packaging can be handled in the recycling process for each type of management:

(packaging) 15 01 01 Paper and paperboard packaging

> 15 01 02 Plastic packaging 15 01 03 Wood packaging 20 01 01 Paper and paperboard

Trade name: Prebona® DuraClean White™ Page 6(8)



Updated: 15/01/2018

pursuant to REACH Regulation (EC) no. 1907/2006

14. TRANSPORT I	NFORMAT	ION					
Dangerous goods:	YE	S	X NO				
14.1 UN number		Not rele	vant.				
		Not relev	vant.				
14.2 Official transport	t name	NI (I					
14.3 Transport hazard	d class	Not rele	ant.				
14.4 Packaging group)	Not relev	vant.				
		Not rele	Not relevant.				
14.5 Environmental h	azards	N 1 (1					
14.6 Special precaution	ons	Not relev	vant.				
		Not rele	vant.				
14.7 Bulk transport ad II to MARPOL 73/78 a							
II to MART OL 13/10 a	ila tile ibo cc	, ue					
15 REGULATORY	INFORMA	ΓΙΟΝ					
15.1 Regulations/stat environment	utes concern	ing the substa	nce or mixture	regarding safety, health and	i		
15.1.1 GENERAL PRO	VISIONS RE	GARDING SAFI	ETY, HEALTH A	ND ENVIRONMENT			
Information on applicable provisions:	The product is subject to general ordinances such as:						
applicable provisions.	Environmental Code (1998:808) chapter 14, Chemical Products and Biotechnical						
	Organisms. The Chemical Products and Biotechnical Organisms Ordinance (2008:245). KIFS 2008:2 chemical products and biotechnical organisms						
	Regulation (EC) no. 1907/2006 concerning Registration, Evaluation, Authorisation						
	and Restriction of Chemicals (REACH) Regulation (EC) no. 1272/2008 concerning Classification, Labelling and						
	•	,	d mixtures (CLP				
Work environment:	Not applicable.						
External environment:	EU Waste Framework Directive 2008/98/EC						
Safety:	Not applicabl	e.					
15.1.2 AUTHORISATIOno. 1907/2006	ON AND RES	TRICTION PUR	SUANT TO ANI	NEX VII AND VIII IN REACH (EC)		
Authorisation (substance):		YES, author	isation no.:	X NO			
Restrictions (substance/mixture):		YES		X NO			
		TS FOR CONS	JMER PRODUC	CTS PURSUANT TO CLP (EC	;) no.		
1272/2008, ANNEX II,	FARI 3.	VES		V NO			
Consumer product:		YES		X NO			



pursuant to REACH Regulation (EC) no. 1907/2006

			•		,	
Child-pro	of closure:	Γ	YES		X NO	
Tactile wa	arning:		YES		X NO	
15.2 Che	mical safety	report (CSR)				
	safety report:	· ` ` _	YES, mixture	YES, substance (s)		t required pursuan e 37 in the REACH ion.
16. OTH	IER INFOR	MATION				
16.1 Revi	sion of the s	afety data she	eet			
Version	Changes				L	Date
1.0	First edition					January 2018
16.2 Expl	anation of al	obreviations in	n the safety data	sheet		
BCF		Bioconcentrat	ion Factor			
EC ₅₀		Effect concen	tration to 50% of to	est population in	n aquatic envir	onment
LC ₅₀		Lethal Concer	ntration to 50% of	a test populatio	n	
LD ₅₀		Lethal Dose to	o 50% of a test po	pulation (Media	n Lethal Dose)	I
log Kow		Partition coeff	ficient n-octanol/wa	ater		
PBT		Persistent, Bio	oaccumulative and	l Toxic substan	ce	
vPvB		Very Persister	nt and Very Bioaco	cumulative		

16.3 Other

Information in this safety data sheet is based on our current knowledge and is intended to describe the product from a safety perspective. The safety data sheet is not to be considered as a chemical specification.

The information is only intended for guidance to safe handling, use, processing, storage, transport, waste management and releases and must not be considered as a guarantee or quality specification.

Sources and references

Prevent substances database
CLP Regulation, harmonised classification and labelling, Part 3, Annex VI
ECHA C&L Inventory
The Swedish Work Environment Authority

The Swedish Work Environment Authority

Updated: 15/01/2018